



**MACHINES FOR CREATORS.**

**[WWW.SECABO.COM](http://WWW.SECABO.COM)**

## ABOUT US

Secabo GmbH, based in Bavaria, introduced in the recent years a broad range of hardware for the signmaking and garment decorating industry. These contain vinyl cutters, heat presses, badge making machines and numerous tools. All Secabo products meet highest quality and safety standards and come with a 24 months warranty. There is high demand for Secabo products because they are closing the gap in the market between cheap but deficient machines from the Far East and very expensive brand products for professional use.

All Secabo products are made to deal with the challenges signmakers and garment decorators face every day. We dedicate ourselves to development and innovations with the same passion as improvement of our products.



„Secabo’s mission is to develop unique, innovative and high-quality devices and machines for signmakers and garment decorators worldwide.“



Dipl. Ing. Fabian Franke  
Managing director, head of marketing



Dipl. Ing. (FH) Bernhard Schmidt  
Managing director, head of development



Oliver Tiedemann, MBA  
Managing director, head of sales

VINYL CUTTER



# CIV

S E R I E S

## FEATURES



Improved LAPOS2\*\*



64 bit compatible



USB interface



Plug and play



DrawCUT LITE  
Cutting software\*\*



Mac compatible



Easy to use menu

\*\*not for C60IV BASIC

# SECABO C30IV

## VINYL CUTTER

The CIV-series is the latest generation of the Secabo C-vinyl cutters enhanced with modern multi-step-technology. The improved cutting quality, as well as higher reliability and precision, enable the application of the Secabo vinyl cutters in nearly all professional areas of advertising technology and signmaking. With a cutting width of up to 33 cm, the C30IV vinyl cutter can master extensive orders and high numbers of pieces. All current materials can be processed with the new Secabo C30IV vinyl cutter, such as adhesive vinyl, self-adhesive foil, flock films, flex films, stencil foil, paper, cardboard, etc., in widths of up to 42 cm. The large illuminated display, as well as the large gel buttons, enable easy operation of the Secabo C30IV vinyl cutter, and with the improved LAPOS<sup>2</sup> technology, printed media can be precisely contour-cut. The C30IV vinyl cutter is controlled comfortably with the provided DrawCut LITE cutting software.

### TECHNICAL DATA

max. media width:	420mm
max. cutting width:	330mm
max. media thickness:	1mm
max. cutting speed:	600mm/s
drive:	multi-step-motors
downforce:	50g - 500g
interfaces:	RS232C, USB
control:	back-illuminated 4-line LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.025mm
repeating accuracy:	< ± 0.1mm
power supply:	90V - 240V / 50Hz - 60Hz
environment:	+5°C - +35°C / 30% - 70% humidity
weight without packaging:	9kg
weight incl. packaging:	12kg
dimensions (w x h x d):	66cm x 33cm x 32cm



more  
information



# SECABO C60IV

## VINYL CUTTER

The CIV-series is the latest generation of the Secabo C-vinyl cutters enhanced with modern multi-step-technology. The improved cutting quality, as well as higher reliability and precision, enable the application of the Secabo vinyl cutters in nearly all professional areas of advertising technology and signmaking. With a cutting width of up to 63cm, the C60IV vinyl cutter can master extensive orders and high numbers of pieces. All current materials can be processed with the new Secabo C60IV vinyl cutter, such as adhesive vinyl, self-adhesive foil, flock films, flex films, stencil foil, paper, cardboard, etc., in widths of up to 72cm. The large illuminated display, as well as the large gel buttons, enable easy operation of the Secabo C60IV vinyl cutter, and with the improved LAPOS<sup>2</sup> technology, printed media can be precisely contour-cut. The C60IV vinyl cutter is controlled comfortably with the provided DrawCut LITE for Windows or optionally SignCut for Mac OS. Also included with the vinyl cutter is a stable stand with a roll holder.



### TECHNICAL DATA

max. media width:	720mm
max. cutting width:	630mm
max. media thickness:	1mm
max. cutting speed:	600mm/s
drive:	multi-step-motors
downforce:	50g - 500g
interfaces:	RS232C, USB
contour cut function:	LAPOS <sup>2</sup> , 4 crop marks
control:	back-illuminated graphic LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.025mm
repeating accuracy:	< ± 0.1mm
power supply:	90V - 240V / 50Hz - 60Hz
environment:	+5°C - +35°C / 30% - 70% humidity
weight without packaging:	12kg
weight incl. packaging:	22kg
dimensions (w x h x d):	92cm x 26cm x 26cm

more information



# SECABO C120IV

## VINYL CUTTER

The CIV-series is the latest generation of the Secabo C-vinyl cutters enhanced with modern multi-step-technology. The improved cutting quality, as well as higher reliability and precision, enable the application of the Secabo vinyl cutter in nearly all professional areas of advertising technology and signmaking. With a cutting width of up to 126cm, the C120IV vinyl cutter can master extensive orders and high numbers of pieces. All current materials can be processed with the new Secabo C120IV vinyl cutter, such as adhesive vinyl, self-adhesive foil, flock films, flex films, stencil foil, paper, cardboard, etc., in widths of up to 135cm. The large illuminated display, as well as the large gel buttons, enable easy operation of the Secabo C120IV vinyl cutter, and with the improved LAPOS<sup>2</sup> technology, printed media can be precisely contour-cut. The C120IV vinyl cutter is controlled comfortably with the provided DrawCut LITE for Windows or optionally SignCut for Mac OS. Also included with the vinyl cutter is a stable stand with a roll holder.



### TECHNICAL DATA

max. media width:	1350mm
max. cutting width:	1260mm
max. media thickness:	1mm
max. cutting speed:	600mm/s
drive:	multi-step-motors
downforce:	50g - 500g
interfaces:	RS232C, USB
contour cut function:	LAPOS <sup>2</sup> , 4 crop marks
control:	back-illuminated graphic LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.025mm
repeating accuracy:	< ± 0.1mm
power supply:	90V - 240V / 50Hz - 60Hz
environment:	+5°C - +35°C / 30% - 70% humidity
weight without packaging:	35kg
weight incl. packaging:	38kg
dimensions (w x h x d):	160cm x 26cm x 26cm



more information



# SECABO C60IV BASIC VINYL CUTTER



The entry level model of Secabo cutters in the 60cm range is marked C60IV BASIC. In principle, a high quality C60IV cutter, the only missing feature is the contour cutting function LAPOS<sup>2</sup> and the stand (this is optional). It has a very attractive price. As software, to control the cutter, SignCut for Windows and Mac OS (1-year license) is included in the delivery of the C60IV BASIC. With the maximum cutting width of 63cm, the C60IV BASIC cutters cope with large orders and high volumes. All common materials such as adhesive films, flock, flex film, plastic film, paper, cardboard, etc. are processed in widths of up to 72cm with the new Secabo C60IV BASIC cutter.



## TECHNICAL DATA

max. media width:	720mm
max. cutting width:	630mm
max. media thickness:	1mm
max. cutting speed:	600mm/s
drive:	multi-step-motors
downforce:	50g - 500g
interfaces:	RS232C, USB
control:	back-illuminated graphic LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.025mm
repeating accuracy:	< ± 0.1mm
power supply:	90V - 240V / 50Hz - 60Hz
environment:	+5°C - +35°C / 30% - 70% humidity
weight without packaging:	12kg
weight incl. packaging:	16kg
dimensions (w x h x d):	92cm x 26cm x 26cm

more  
information





S E R I E S

## FEATURES



Servo drives



64bit enabled



USB interface



Plug and play



DrawCUT LITE  
Cutting software



Mac compatible



Improved LAPOS<sup>2</sup>



Easy to use menu



Low volume

# SECABO S60 VINYL CUTTER

The brand new Secabo S60 vinyl cutter enhances and expands the Secabo product portfolio above the Secabo CIV series. The S series vinyl cutters come with very silent, powerful and precise servo motors which are perfectly suitable for almost any professional application. With a cutting width of up to 63cm, the Secabo S60 vinyl cutter can manage extensive cut jobs and high numbers of pieces. Any common material like sign vinyl, heat transfer film, stencil film, paper or cardboard can be cut in widths of up to 72cm. The large illuminated display with big gel buttons makes the machine easy to use and with the revised LAPOS<sup>2</sup> technology, printed material can be contour-cut precisely. The Secabo S60 vinyl cutter is controlled comfortably with the supplied DrawCut LITE for Windows or optionally SignCut for Mac OS. It also comes with a solid stand and holder for the material rolls.



## TECHNICAL DATA

max. media width:	720mm
max. cutting width:	630mm
max. media thickness:	1mm
max. cutting speed:	960mm/s
drive:	servo motors
downforce:	50g - 750g
interfaces:	RS232C, USB
contour cut function:	LAPOS <sup>2</sup> , 4 crop marks
control:	back-illuminated graphic LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.0125mm
repeating accuracy:	< ± 0.08mm
power supply:	90V - 240V / 50Hz - 60Hz
environment:	+5°C - +35°C / 30% - 70% humidity
weight without packaging:	12kg
weight incl. packaging:	22kg
dimensions (w x h x d):	92cm x 26cm x 26cm

more  
information



# SECABO S120

## VINYL CUTTER

The brand new Secabo S120 vinyl cutter enhances and expands the Secabo product portfolio above the Secabo CIV series. The S series vinyl cutters come with very silent, powerful and precise servo motors which are perfectly suitable for almost any professional application. With a cutting width of up to 126cm, the Secabo S120 vinyl cutter can manage extensive cut jobs and high numbers of pieces. Any common material like sign vinyl, heat transfer film, stencil film, paper or cardboard can be cut in widths of up to 135cm. The large illuminated display with big gel buttons makes the machine easy to use and with the revised LAPOS<sup>2</sup> technology, printed material can be contour-cut precisely. The Secabo S120 vinyl cutter is controlled comfortably with the supplied DrawCut LITE for Windows or optionally SignCut for Mac OS. It also comes with a solid stand and holder for the material rolls.



### TECHNICAL DATA

max. media width:	1350mm
max. cutting width:	1260mm
max. media thickness:	1mm
max. cutting speed:	960mm/s
drive:	servo motors
downforce:	50g - 750g
interfaces:	RS232C, USB
contour cut function:	LAPOS <sup>2</sup> , 4 crop marks
control:	back-illuminated graphic LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.0125mm
repeating accuracy:	< ± 0.08mm
power supply:	90V - 240V / 50Hz - 60Hz
environment:	+5°C - +35°C / 30% - 70% humidity
weight without packaging:	35kg
weight incl. packaging:	38kg
dimensions (w x h x d):	160cm x 26cm x 26cm



more information





S E R I E S

## FEATURES

### Professional contour cutting with LAPOS XPT

- ✓ automatic crop mark detection feature with LAPOS XPT
- ✓ steadily reading of crop marks while cutting for results without offset and delay, even with extensive plots
- ✓ high-precision contour cutting – 1,2m x 4m with a deviation of less than 0,1mm



Servo motors



Plug and play



LAPOS XPT



USB interface



64bit enabled



DrawCut PRO  
cutting software



Easy to use menu

# SECABO T60

## VINYL CUTTER

The brand-new T-series from Secabo is located above the well-known servo cutter S-series. The cutters are largely identical, however the T series has a new and powerful automatic crop mark detection feature, called LAPOS XPT for highly precise contour-cuts for very extensive plots. With a cutting width of up to 63cm, the Secabo T60 vinyl cutter can manage extensive cut jobs and high numbers of pieces. Any common material like sign vinyl, heat transfer film, stencil film, paper or cardboard can be cut in widths of up to 72cm. Pre-printed media up to 60cm can be imported in the LAPOS XPT contour-cut-mode. The large illuminated display with big gel buttons makes the T60 vinyl cutter very easy to use. The Secabo T60 vinyl cutter is controlled with the supplied Draw-Cut PRO cutting software. Besides extensive design- and layout functions the software furthermore controls the LAPOS XPT systems for print&cut applications. It also comes with a solid stand and holder for the material rolls.

### TECHNICAL DATA

max. media width:	720mm
max. cutting width:	630mm
max. media thickness:	1mm
max. cutting speed:	960mm/s
drive:	multi-step-motors
downforce:	50g - 750g
interfaces:	RS232C, USB
contour cut function:	LAPOS XPT, automatic multi-crop mark detection function
control:	back-illuminated graphic LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.0125mm
repeating accuracy:	< ± 0.08mm
weight without packaging:	12kg
weight incl. packaging:	22kg
dimensions (w x h x d):	92cm x 26cm x 26cm



more information



# SECABO T120

## VINYL CUTTER

The brand-new T-series from Secabo is located above the well-known servo cutter S-series. The cutters are largely identical, however the T series has a new and powerful automatic crop mark detection feature, called LAPOS XPT for highly precise contour-cuts for very extensive plots. With a cutting width of up to 126cm, the Secabo T120 vinyl cutter can manage extensive cut jobs and high numbers of pieces. Any common material like sign vinyl, heat transfer film, stencil film, paper or cardboard can be cut in widths of up to 135cm. Pre-printed media up to 123cm can be imported in the LAPOS XPT contour-cut-mode. The large illuminated display with big gel buttons makes the T120 vinyl cutter very easy to use. The Secabo T120 vinyl cutter is controlled with the supplied Draw-Cut PRO cutting software. Besides extensive design- and layout functions the software furthermore controls the LAPOS XPT systems for print&cut applications. It also comes with a solid stand and holder for the material rolls.



### TECHNICAL DATA

max. media width:	1350mm
max. cutting width:	1260mm
max. media thickness:	1mm
max. cutting speed:	960mm/s
drive:	multi-step-motors
downforce:	50g - 750g
interfaces:	RS232C, USB
contour cut function:	LAPOS XPT, automatic multi-crop mark detection function
control:	back-illuminated graphic LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.0125mm
repeating accuracy:	< ± 0.08mm
weight without packaging:	35kg
weight incl. packaging:	38kg
dimensions (w x h x d):	160cm x 26cm x 26cm

more  
information



COMING  
SOON!

# SECABO T160 VINYL CUTTER

The T160 has a powerful servo drive as well as an automatic crop mark detection feature, called LAPOS XPT for highly precise contour-cuts for very extensive plots. With a cutting width of up to 160cm, the Secabo T160 vinyl cutter can manage extensive cut jobs and high numbers of pieces. Any common material like sign vinyl, heat transfer film, stencil film, paper or cardboard can be cut in widths of up to 175cm. Pre-printed media up to 157cm can be imported in the LAPOS XPT contour-cut-mode. The large illuminated display with big gel buttons makes the T160 vinyl cutter very easy to use. The Secabo T160 vinyl cutter is controlled with the supplied DrawCut PRO cutting software. Besides extensive design- and layout functions the software furthermore controls the LAPOS XPT systems for print&cut applications. It also comes with a solid stand and holder for the material rolls. For even more precise jobs and for large and heavy rolls, the foil is automatically winded up and fed into the vinyl cutter.



## TECHNICAL DATA

max. media width:	1750mm
max. cutting width:	1600mm
max. media thickness:	1mm
max. cutting speed:	960mm/s
drive:	multi-step-motors
downforce:	50g - 750g
interfaces:	RS232C, USB
contour cut function:	LAPOS XPT, automatic multi-crop mark detection function
control:	back-illuminated graphic LCD display with gel buttons
internal memory:	4MB
mechanical resolution:	0.0125mm
repeating accuracy:	< ± 0.08mm
weight without packaging:	50kg
weight incl. packaging:	60kg
dimensions (w x h x d):	192cm x 26cm x 26cm



more  
information



## ACCESSORIES

### VINYL CUTTER



#### **Drag knives for all Secabo vinyl cutters**

Replacement carbide drag knives are available with a cutting angle of 30°, 45° or 60° - depending on the type of use. Offset 0,25mm. For optimal results a regular change of the knife is recommended.



#### **Plot support mats**

Self-adhesive plotting surface for cutting media that does not consist of two layers - such as paper, cardboard, etc. The plotting surface can also be used with very thin and unstable foils, eg. flex film etc. A higher stability of the material is achieved, which improves plotting results especially of smaller objects. Available in A4, A3 and 60cm x 90cm.



#### **Cutterholder for the CIV, S and T-series**

Ball bearing cutterholder made from aluminium, suitable for Secabo drag knives. The immersion depth of the knife can be adjusted exactly with the regulating screw with lock nut. The spring pin allows a convenient ejection of the magnetically held knife. Cutterholders are suitable for all Secabo vinyl cutters.

# ACCESSORIES

## VINYL CUTTER

### Cutterholder for the CIII-series

Ball bearing cutterholder made from aluminium, suitable for Secabo drag knives. The immersion depth of the knife can be adjusted exactly with the regulating screw with lock nut. The spring pin allows a convenient ejection of the magnetically held knife.



### Collection basket for C60IV, S60, T60, as well as for C120IV, S120, T120 and T160

Convenient catch tray for mounting on the stand of Secabo vinyl cutters C60IV (also for the BASIC), S60, T60, C120IV, S120, T120 and T160. Ideal protection of media against dust, pollution and static charge and at the same time a practical container for foil remnants. The stand is not included in delivery.



### Stand for C60IV BASIC, C60IV, S60 and T60

Convenient and easily erectable stand for Secabo C60IV BASIC, C60IV, S60 and T60 plotter including adjusting shaft. Rollers for the roller brackets can be adjusted in different grids. This eases the processing of wider and thinner roles. Stable rubber feet ensure stability not only for the plotting process. The protective conductor connection prevents electrostatic charging of the foil, which could disrupt the plotting process. Catch tray optionally available.





## ACCESSORIES

### VINYL CUTTER

#### DrawCut LITE software

DrawCut LITE is delivered free of charge with all vinyl cutter of the Secabo C- and S-series and is furthermore available separately for these machines and even for the older CIII-series. DrawCut LITE has a lot of comprehensive functions to design, draw and the arrangement of objects as well as for creating texts. Besides that DrawCut LITE installs, calibrates and controls your Secabo vinyl cutter comfortable with a lot of clear assistants and simple functions.

#### DrawCut PRO software

With DrawCut PRO you can control your vinyl cutter very comfortable, with LAPOS XPT you are using the most comprehensive multi-crop-mark-detection-system of the world and you can furthermore create your own plot-files in a professional manner. Special functions as "text to path", "cast shadow", "merge writings", drawing of stars und arrows and lots more help to get less dependent on CorelDraw and Adobe Illustrator. DrawCut PRO is also available as an upgrade of DrawCut LITE.

#### SignCut software for Windows and Mac OS

SignCut pro is an efficient and flexible cutting software. SignCut assists during the whole production process, which saves money and time. SignCut pro is always up-to-date, is compatible with all Corel Draw and Adobe Illustrator versions as well as most popular operating systems such as Windows XP, Windows Vista and Mac OS-X.

# HEAT PRESS



# TTC

S E R I E S

## FEATURES



Digital controller



Big working space



Little hysteresis



Variable pressure



Safe use



Automatic opening



Exact temperature distribution



Exchangeable base plates

# SECABO TC5

## HEAT PRESS

The new Secabo TC5 clam press is an automatically opening clamshell press. It is not necessary to wait, while the transfer is pressed. After the desired time has finished, the heat press opens automatically and announces this with an acoustic signal. With a large digital controller, temperature and pressing time can be adjusted. A counter counts the number of transfers that have already been made during the current session. The counter can be reset to zero at any time. The pressure can be adjusted with a wheel on top of the heating plate. The TC5 has a base plate of 38cm x 38cm and is equipped with an additional shielding to prevent burns. The TC5 is a professional clam press suitable for all common transfer methods like flex, flock, sublimation, inkjet-flex or chroma blast. Additionally there is a double-plate-extension for the TC5 with the Secabo Slide – see page 31.

### TECHNICAL DATA

working area:	38cm x 38cm
folding angle:	0° - 50°
max temperature:	225°C
max time setting:	999s
max pressure:	250g/cm <sup>2</sup>
pressure setting:	height adjustment of the heat plate by hand wheel
power supply:	230V / 50Hz - 60Hz, 1,80kW
environment:	+5°C - +35°C / 30% - 70% humidity
weight:	35kg
dimensions (w x h x d):	39cm x 50cm x 75cm
options:	quick-change system, exchangeable base plates



more information



# SECABO TC7 HEAT PRESS

The new Secabo TC7 clam press is an automatically opening clamshell press. It is not necessary to wait, while the transfer is pressed. After the desired timer has finished, the heat press opens automatically and announces this with an acoustic signal. With a large digital controller, temperature and pressing time can be adjusted. A counter counts the number of transfers that have already been made during the current session. The counter can be reset to zero at any time. The pressure can be adjusted with a wheel on top of the heating plate. The TC7 has a base plate of 40cm x 50cm and is equipped with an additional shielding to prevent burns. The TC7 is a professional clam press suitable for all common transfer methods like flex, flock, sublimation, inkjet-flex or chroma blast. Additionally there is a double-plate-extension for the TC7 with the Secabo Slide – see page 31.



## TECHNICAL DATA

working area:	40cm x 50cm
folding angle:	0° - 50°
max temperature:	225°C
max time setting:	999s
max pressure:	250g/cm <sup>2</sup>
pressure setting:	height adjustment of the heat plate by hand wheel
power supply:	230V / 50Hz - 60Hz, 2,0kW
environment:	+5°C - +35°C / 30% - 70% humidity
Weight:	45kg
dimensions (w x h x d):	41cm x 50cm x 80cm
options:	Quick-change system, exchangeable base plates

more information



# SECABO TCC


## HEAT PRESS

The new Secabo TCC clam press is an automatically opening clamshell press specifically made for baseball caps, hats etc. It is not necessary to wait, while the transfer is pressed. After the desired timer has finished, the heat press opens automatically and announces this with an acoustic signal. With a large digital controller, temperature and pressing time can be adjusted. A counter counts the number of transfers that have already been made during the current session. The counter can be reset to zero at any time. The pressure can be adjusted with a wheel on the bottom of the base plate. The TCC is a professional cap press suitable for all common transfer methods like flex, flock, sublimation, inkjet-flex or chroma blast.



### TECHNICAL DATA

working area:	15cm x 8cm
folding angle:	0° - 35°
max temperature:	225°C
max time setting:	999s
max pressure:	250g/cm <sup>2</sup>
power supply:	230V / 50Hz - 60Hz, 1,0kW
environment:	+5°C - +35°C / 30% - 70% humidity
weight:	15kg
dimensions (w x h x d):	24cm x 64cm x 53cm



more  
information



# TTS

S E R I E S

## FEATURES



Digital controller



Big working space



Little hysteresis



Variable pressure



Safe use



Automatic opening



Exact temperature distribution

# SECABO TS7

## HEAT PRESS

With its comfortable automatic swing away system, the new and improved Secabo TS7 transfer press provides a particularly large working space for easy alignment of the transfer objects. The large base plate with dimensions of 40cm x 50cm is placed in portrait orientation, which makes an exact positioning of elements and objects easier. The auto-open and auto-swing function of the TS7 allows even more flexible and more comfortable working. The Secabo TS7 is suitable for all common heat transfer methods and can be used in almost any area of transfer technology.

### TECHNICAL DATA

working area:	40cm x 50cm
max temperature:	225°C
max time setting:	999s
max pressure:	350g/cm <sup>2</sup>
pressure setting:	Height adjustment base plate
power supply:	230V / 50Hz - 60Hz, 1,8kW
environment:	+5°C - +35°C / 30% - 70% humidity
dimensions (w x h x d):	50cm x 92cm x 80cm
weight:	74kg
options:	quick-change system, exchangeable base plates



more information



# TTP

S E R I E S

## FEATURES



Digital controller



Big working space



Little hysteresis



Variable pressure



Safe use



Automatic opening



Exact temperature distribution



Exchangeable base plates\*

\*not for TP10

# SECABO TPD7 HEAT PRESS

The new TPD7 heat press from Secabo is particularly suitable for large-sized and comprehensive transfers for handling all common transfer methods professionally and exactly. The contact pressure of this double plate heat press is generated through compressed air, which helps to present unchanging and reproducible results. With two base plates of 40cm x 50cm there is a broad and comfortable working space for adjusting transfer objects. The base plates are arranged in upright format, which makes an exact positioning of elements and objects easier. Higher quality and more precision while transferring are the result of the comfortable working area at the particular exposed base plate. The horizontal slidable head of the heating plate can easily be regulated above the particular base plate – the vertical impact of the contact pressure allows accurate transferring of various materials without offset or the like. The TPD7 can optionally be equipped with the Secabo quick change system and exchangeable base plates.

## TECHNICAL DATA

working area:	2 x 40cm x 50cm - portrait
max temperature:	225°C
max time setting:	999s
max pressure:	350g/cm <sup>2</sup>
pressure setting:	setting of pneumatic pressure
max. pneumatic pressure:	10bar
power supply:	230V / 50Hz - 60Hz, 1,8kW
environment:	+5°C - +35°C / 30% - 70% humidity
weight:	98kg
dimensions (w x h x d):	100cm x 58cm x 75cm
options:	quick-change system, exchangeable base plates



more information



# SECABO TP10 HEAT PRESS



The newly developed heat press Secabo TP10 is for professional textile printers of large objects: With an extra large work area of 75 x 105 cm, the transfer press is particularly suitable for heat transfers on expansive media such as flags, sheets or room dividers made of textile. The base plate acts as a drawer, which allows comfortable arranging of transfer objects and can be handled despite its size with little effort. The pressure of the TP10 transfer press is produced by compressed air, which means working with consistent and reproducible results. The pneumatic head of the heat plate allows due to vertical contact pressure a flawless transferring of various materials without displacement effects, etc. The Secabo TP10 heat press with a heat output of 5.1 kW is suitable for all standard transfer processes and thus can be used in almost all areas of technology transfer.

## TECHNICAL DATA

dimensions:	110cm x 90cm x 140cm
working area:	75cm x 105cm
max temperature:	225°C
max time setting:	999s
max pressure:	150g/cm <sup>2</sup>
pressure setting:	Adjustment of the pneumatic pressure
power supply:	3P+N+PE, 5,1kW. It is recommended to have the TP10 connected by an electrician.
environment:	+5°C - +35°C / 30% - 70% humidity
dimensions (w x h x d):	110cm x 90cm x 140cm
weight:	190kg



more  
information



# T M

S E R I E S

## FEATURES



Digital controller



Safe use



Variable pressure



Different heating elements



Exact temperature distribution

# SECABO TM1 HEAT PRESS

With the new Secabo TM1 heat press, mugs can be printed on using sublimation or other transfer technologies. The TM1 Secabo heat press is for beginners and professional users and suitable to use with their digital controller quickly and safely. The pressure can be easily adjusted by a hand wheel. The TM1 can optionally be equipped with three different heating elements - even in a cone-shaped design.



## TECHNICAL DATA

max. mug height:	12,0cm
mug diameter:	7,5 cm to 9,0 cm
max temperature:	225°C
max time setting:	999s
power supply:	230V / 50Hz - 60Hz, 300W
environment:	+5°C - +35°C / 30% - 70% humidity
weight:	5kg
dimensions (w x h x d):	32cm x 21cm x 30cm
options:	heating elements 6,0cm - 7,5cm and 7,5cm - 9,0cm, as well as for conic mugs 12oz



more information



# ACCESSORIES

## HEAT PRESSES

### Exchangeable base plates

Exchangeable base plates are available in various formats for many Secabo heat presses. The base plate can be used by itself, mounted in place of the large base plates or it can be used in conjunction with the quick-change system. Available formats: 8cm x 12cm, 15cm x 15cm, 12cm x 38cm, 20cm x 30cm, 38cm x 38cm, 40cm x 50cm, 50cm x 100cm. Available for TC5, TC7, TPD7 and some older models. For the TPD7 (two quick-change-systems as basis needed) as well as for the Secabo Slide there is a continuous exchangeable plate in the size 50cm x 100cm available.

### The quick-change system for exchangeable base plates

The quick-change system allows up to three exchangeable base plates to be mounted next to one another (depending on the model of heat press) and changed within seconds. In the scope of delivery there is an adapter to mount the original base plate onto the quick-change-system. Through the special Beam-technology it is now possible to comfortably cover garments over the base plate. Available for the following models: TC5, TC7, TS7, TPD7.

#### Technical data:

Suitable for:	TC5, TC7, TS7, TPD7 and for some older models
Max. number of exchangeable plates:	3
Max. contact pressure:	500g/cm <sup>2</sup> - reduce pressure for smaller exchangeable
Fixation:	Hand wheel
Scope of delivery:	quick-change-system, Beam-adapter for original base plate, mounting set



## ACCESSORIES

### HEAT PRESSES

#### Cover-adapter for base plates – Beam-technology

Mounting adapter to connect the original base plate of the presses TC5, TC7, TS7 or TPD7 with the suitable quick-change-system. With the adapter it is also possible to change the base plate as an exchangeable plate within seconds. The special Beam-technology enables you to comfortably cover garments over the base plate. Also available as single Beam-adapter for the TC5 heat press to mount on plates without quick-change-system.



#### Secabo Slide – double-plate-extension for the TC5 and TC7

The clam presses TC5 and TC7 can be easily converted into a comfortable double-plate heat press with the Secabo Slide. In a few simple steps the solid Slide is attached to the heat press. The Slide is based on the well-known quick-change principle and can be moved with little effort from one side to the other. There is a Beam-adapter in the scope of delivery which allows to use the original base plate further on. All exchangeable base plates are suitable and can be changed and removed within seconds. Available for the current models of the TC5 and TC7.

# ACCESSORIES

## HEAT PRESSES

### Exchangeable plates for the cap press TCC

For the Secabo TCC cap press, there are base plates in several sizes available. The plates can be changed in a few easy steps and allow gentle and comfortable pressing of caps, hats and beanies – depending on the size and format of the objects. Available formats: 7cm x 16,5cm, 7,6cm x 14,6cm, 10,2 x 16,5cm, 10,2cm x 20,3cm.



### Heating elements

Exchangeable heating elements for the Secabo mug press TM1. The simple plug connection enables easy and quick change of the cuff. Available in 6cm - 7,5cm, 7,5cm - 9cm as well as for conical mugs 12oz.



### Cross Laser

The versatile cross lasers from Secabo allow precise alignment of textiles and other objects and transfer elements such as flex foils, sublimation, etc. which eases reproducible positioning. Available as desktop or floor version, each with single or double cross laser diodes.



## ACCESSORIES

### HEAT PRESSES



#### **Silicon mat to protect transfer objects**

Heat resistant mat made of silicon to compensate unevennesses and to protect damageable surfaces during the heat transfer. 1mm thick and available in 30cm x 40cm, 40cm x 40cm, 40cm x 50cm, 40cm x 60cm.



#### **Heat plate protector with PTFE coating**

Fiberglass self-adhesive film with PTFE coating. As a replacement for damaged or worn non-stick coatings on heat presses. Suitable for all conventional transfer molding models, 150µm strength. Available in 28cm x 38cm, 38cm x 38cm, 40cm x 50cm.

**BADGE MAKING MACHINE**



# BP

S E R I E S

## FEATURES



Simple operation



Exchangeable tools

# SECABO BP R

## BADGE MAKING MACHINE

The Secabo BP R is a cost effective and stable practical badge making press with quick-change mechanism for the production of various badges and pins. Supplied with this machine is one tool for either 25mm, 37mm, 50mm or 75mm badges. The tools for the other sizes are optional, available separately.

### TECHNICAL DATA

Badge machine: Secabo BP R  
badge sizes: 25mm, 37mm, 50mm, 75mm  
badge designs: round



more  
information



# SECABO BP REC

## BADGE MAKING MACHINE

The Secabo BP REC is a reasonably priced and stable badge press for producing rectangular badges and pins. Available in 37mm x 58mm format. It is delivered pre-assembled. The tools for the other sizes are optional, available separately.

### TECHNICAL DATA

Badge machine:	Secabo BP REC
badge sizes:	rectangular 37mm x 58mm
badge designs:	rectangular



more  
information



# SECABO BP 0V

## BADGE MAKING MACHINE

The Secabo BP 0V is a reasonably priced and stable badge press for producing oval badges and pins. Available in 45mm x 69mm format. It is delivered pre-assembled. The tools for the other sizes are optional, available separately.

### TECHNICAL DATA

Badge machine:	Secabo BP 0V
badge sizes:	oval 45mm x 69mm
badge designs:	oval



 more  
information



## ACCESSORIES

### BADGE MAKING MACHINES



#### Shear punch

Practical badge tool to cut circles out of paper in order to create round badges. Available for 25mm and 37mm badges. The actual diameter is 35mm and 48,5mm. The tool is handy and easy to use.



#### Multifunction punch press

Multifunction punch press, compatible with the punches for 25mm, 37mm, 50mm and 75mm, as well as oval and rectangular badges. The punch press can hold up to 10 sheets and punch at the same time. Delivery is without punch.



#### Punch for multifunction punch press

Punches for multifunction punch press for punching circles made of printed paper. Available for round badges 25mm, 37mm, 50mm, 75mm, rectangular badges 37mm x 58mm and oval badges 45mm x 69mm.

# ACCESSORIES

## BADGE MAKING MACHINES

### Badge molding set, round

Badge tool set for the production of round badges. Suitable for replacement or extension of a badge machine. Available in 25mm, 37mm, 50mm and 75mm.



### Badge molding set, oval

Badge tool set for the production of oval badges. Suitable for replacement or extension of a badge machine. Available in 45mm x 69mm.



### Badge molding set, rectangular

Badge tool set for the production of rectangular badges. Suitable for replacement or extension of a badge machine. Available in 37mm x 58mm.



# BLANK BADGES FOR BADGE MAKING MACHINES



## Pin badges

Blank badges with safety pin for fastening. The blank disk consists of an upper shell, rear and a circular plastic wrap in the appropriate diameter. Available as round, rectangular and oval badges.



## Magnetic badges

Blank badges with a magnet on the back. The blank badge consists of an upper shell, back with a magnet and a transparent film in the appropriate diameter. Available as round, rectangular and oval badges. Furthermore available are safety magnets, to fix the magnetic badges eg. as name tags to textiles.



## Badges with make-up mirror

Blank badges with make-up mirror on the back. The blank badge consists of an upper shell, back with a mirror and a circular plastic wrap in the appropriate diameter. Available as round badges.

## Badges with bottle opener

The blank badge consists of an upper shell, a plastic wrap in the appropriate diameter and a bottle opener back casing. Available as round badges (with key holder) and oval badges (with magnet).




## Badges with clip

Blank badges with a clip at the back. Includes clothing clip on the back for stapling documents or attaching badge to textiles. The blank badge consists of an upper shell, back with clip and a circular plastic wrap in the appropriate diameter. Available as round badges .



	Pin badges	Magnetic badges	Badges with mirror	Badges with bottle-opener	Badges with clip
round 25mm	✓	✓			
round 37mm	✓	✓			
round 50mm	✓	✓	✓	✓	✓
round 75mm	✓	✓	✓		✓
rectangular 37 x 58mm	✓	✓			
oval 45 x 69mm	✓	✓		✓	



**WORKING WITH SECABO EQUIPMENT:  
SIMPLY FUN!**

# TOOLS



## TOOLS VARIOUS



### **Application tape dispenser 31cm and 61cm**

Dispenser for bubble- and wrinkle-free rolling of transfer film and application tape. Maximum roll width: 31cm or 61cm. Due to the special design of the apptape-dispenser, roles can also be applied with greater widths. Two holes on the front allow easy bolting to a work table.



### **Cutting mat A3, A2, A1**

Self-healing cutting mat with 1cm grid, available in 30cm x 45cm (approx. A3 size), 45cm x 60cm (approx. A2 size), 60cm x 90cm (approx. A1 size). The cutting mats are extremely helpful when weeding and protect reliably against cuts. Worktables are protected from scalpels and cutter knives. The specially developed self-healing surface closes again on its own and allows an extended life of the cutting mat.



### **Tool pouch with belt**

Tool bag made of nylon with plenty of storage space. Solid and adjustable belt with plastic clip closure. Due to the velcro a simple turn of the pocket is possible. Double-layered pocket walls prevent injuries.

# TOOLS

## CUTTER & EASES WEEDING

### Popping pen for film plots

Metal tip needle for weeding by cutting objects and for piercing of air bubbles in the film glued to the reworking of film or labels. Ergonomic pen with large diameter for easy handling.



### Tweezers with cover

Precision tweezers made from spring steel for fine and finest removal work. The plastic-coated handle ensures a safe grip.



### Snappy vinyl cutter

For cutting off or cutting out of film sheets without the injury factor.



# TOOLS

## CUTTER & EASES WEEDING



### Scalpel BASIC

Rugged and ergonomic scalpel with plastic handle for fine cutting work.



### Scalpel PRO

Rugged and ergonomic scalpel with aluminum handle for fine cutting work.



### Scalpel PREMIUM

Rugged and ergonomic scalpel with aluminum handle and comfortable rubber boot for a secure fit for fine cutting work.

# TOOLS

## CUTTER & EASES WEEDING

### Scalpel with a rotating blade

Rugged and ergonomic scalpel with aluminum handle and comfortable rubber boot for a secure fit for fine cutting work. Rotatable knife for precise contour cutting of very small objects.



### Stainless steel cutter with snap-off

Robust and secure thanks to solid metal handle. Rests easily in the hand and leads the blade securely. Best accuracy by steel spring mechanism. Suitable replacement blades are available.



### Plastic-cutter with snap-off

Easy Cutter with plastic handle. Rests easily in the hand and leads the blade safely. Stopped by plastic slider.



## **TOOLS**

### **CUTTER & EASES WEEDING**



#### **Window scraper**

Stable scraper for easy removal of old foil labels on glass surfaces. In-blade can be covered. Blade width of 90mm.



#### **Bubble pen**


Pen for removing film blowing easily. Perfect metal shaft of the needle guide. Needle tip disappears on a badge in the handle.

# TOOLS

## SQUEEGEES & ACCESSOIRES

### **Small plastic squeegee – BASIC**

Reasonably priced plastic squeegee for versatile applications (vehicles, shop windows, signs, etc.), hard and softer edge.



### **Small plastic squeegee – PRO**

Professional plastic squeegee for versatile applications (vehicles, shop windows, signs, etc.), special plastic, hard and softer edge.



### **Small plastic squeegee with felt – PREMIUM**

Professional plastic squeegee for versatile applications (vehicles, shop windows, signs, etc.), special plastic, with felt to protect delicate surfaces, hard and softer edge.



## **TOOLS**

### **SQUEEGEES & ACCESSOIRES**



#### **Plastic squeegee large**

Cheap plastic squeegee for versatile large applications (vehicles, shop windows, signs, etc.), 13 cm x 7,5 cm.



#### **Felt squeegee for dry applications**

Squeegee with soft felt for use with the bonding of films without protective tape. Prevents scratching the surface. Width of 10cm.



#### **Plastic scraper for removing foil**

Plastic scraper to remove the film. Specially sharpened for easy slide removal without a scratch! Solvent-resistant and suitable for all surfaces. Special plastic mixture protects surfaces.

# TOOLS

## SQUEEGEES & ACCESSOIRES

### **2 replacement felt strips for plastic squeegee PREMIUM**

Self-adhesive felt strips fit in a plastic squeegee PREMIUM. Felt Stripes apply to manual and slides without sticking scratch. 2 pieces.



# CONTACT

## SECABO GMBH

### We look forward to hearing from you!

Should you wish to order or distribute any of our products or if you would like any further information on any of our products, please do not hesitate to contact us:

**Fon: +49 (0) 8442 95840-10**

**E-mail: [mail@secabo.com](mailto:mail@secabo.com)**

**Dealer e-mail: [sales@secabo.com](mailto:sales@secabo.com)**

or visit our website:

**[www.secabo.com](http://www.secabo.com)**

See you soon,  
your Secabo-team

Secabo GmbH  
Hochstatt 6-8  
85283 Wolnzach  
Deutschland

Fon: +49 (0) 8442 95840-10

Fax: +49 (0) 8442 95840-11

E-Mail: [mail@secabo.com](mailto:mail@secabo.com)

Web: [www.secabo.com](http://www.secabo.com)





**TIME FOR CREATIVITY -**  
WORKING WITH SECABO EQUIPMENT.

[WWW.SECABO.COM](http://WWW.SECABO.COM)

BELGIEN | DEUTSCHLAND | DÄNEMARK | ESTLAND | FINNLAND | FRANKREICH | GRIECHENLAND | GROSSBRITANNIEN | IRLAND | ITALIEN | KROATIEN | LIECHTEN-  
STEIN | MAROKKO | NIEDERLANDE | NORWEGEN | ÖSTERREICH | POLEN | PORTUGAL | RUSSLAND | SCHWEIZ | SCHWEDEN | SENEGAL | SPANIEN | TSCHECHIEN